

REFUELLING VALVES



Female Valves



Code	Diameter	Mounting	Type
RE-AG-007	1,5"	tank	single 5 bolt



Female Valves



Code	Diameter	Mounting	Type
RE-AG-008	1,5"	remote	single, to fit 2,25" hose
RE-AG-012	2"	remote	single, to fit 2,25" hose



Male Valves



Code	Description
RE-AG-002	Ø 1,5" FIA male dry break valve



Female Valves



Code	Diameter	Mounting	Type
RE-AG-009	2"	tank	single, 101,9mm 9 bolt PCD



Female Valves



Code	Diameter	Mounting	Type
RE-AG-020	2"	tank	dual, 100mm centres



Male Valves



Code	Description
RE-AG-003	Ø 2" FIA male dry break valve single



Female Valves



Code	Diameter	Mounting	Type
RE-AG-010	2"	tank	single, 120,9mm 12 bolt PCD



Female Valves



Code	Diameter	Mounting	Type
RE-AG-021	2"	remote	dual, to fit 2,25" hose, 100mm centres



Male Valves



Code	Description
RE-AG-022	Ø 2" FIA male dual dry break valve with handle



Refuelling Handles

Code	Description
RE-AF-005	Ø 1,5" FIA single refuelling handle
RE-AF-008	Ø 2" FIA single refuelling handle
RE-AF-006	Ø 1,5" FIA dual refuelling handle vertical



Male valves repair kits

Code	Description
RE-AA-053	Ø 2" ATL male valve repair kit
RE-AA-055	Ø 1,5" ATL male valve repair kit



Female valves repair kits

Code	Description
RE-AA-052	Ø 2" ATL female valve repair kit
RE-AA-054	Ø 1,5" ATL female valve repair kit

REFUELLING VALVES

STÄUBLI

Coaxial dry break couplings



Code	Type
SAF45.1838/CX/JKV	coaxial for cars - male

STÄUBLI

Coaxial dry break couplings



Code	Description
SAF45.5000/JV	Stäubli tank mounted plug

STÄUBLI


Coaxial dry break couplings



Code	Description
SAF45.9051	Coaxial separator

STÄUBLI


Coaxial dry break couplings



Code	Type
SAF45.5000/DN/JV	coaxial drain plug - female

STÄUBLI

Coaxial dry break couplings



Code	Description
SAF45.5851/JV	Stäubli remote mounted plug

REFUELLING BOTTLES & ACCESSORIES



RIG 200 Litres

- Capacity 200 litres
- Refuelling drum (RE-AC-034)
- FIA discriminator valve (RE-AC-036)
- FIA vent tube (RE-AC-037)
- FIA /ACO restrictor Ø33mm on a 1206-12 PCD plate (12) Ø6.2 Holes
- Heat reflecting cover for RE-AA-201 refuelling tank (RE-AC-035)
- Ø 1,5" FIA Deadman ball valve (RE-AC-039)

Does not include male dry break probes, hoses or stand

Code	Description
RE-AA-201	RIG 200 It FIA Refuelling tank - without stand assy, male dry break probes and hoses

REFUELLING BOTTLES & ACCESSORIES



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-029	135°	25	2"	Double	Integrated



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-023	Straight	25	1 1/2"	Single	No
RE-AA-025	Straight	25	2"	Single	No



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-024	135°	25	1 1/2"	Single	No
RE-AA-026	135°	25	2"	Single	No



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AB-024	Straight	25	-	Bottle only	-



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-027	Straight	25	1 1/2"	Double	Integrated
RE-AA-028	Straight	25	2"	Double	Integrated



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-030	Straight	25	2"	Single	STAUBLI SPT12,1658LJV
RE-AA-031	135°	25	2"	Single	STAUBLI SPT12,1658LJV



ATL bottles

Code	Angle	Litres	Male probe	Type	Vent hose
RE-AA-032	Straight	25	2"	Single	ATL 2,0" RE-AG-003
RE-AA-033	135°	25	2"	Single	ATL 2,0" RE-AG-003



Fuel Filler Hoses



Code	Marque	Features	Diameter	Colour
CH39180	Newton	lightweight/flexible	1,5" (38 mm)	black
CH45180	Newton	lightweight/flexible	1,75" (44 mm)	black
CH51180	Newton	lightweight/flexible	2,0" (51 mm)	black
CH58180	Newton	lightweight/flexible	2,25" (57 mm)	black
CH64180	Newton	lightweight/flexible	2,50" (63 mm)	black
CH88180	Newton	smoothbore	3,50" (89 mm)	black
CHE32180	Newton	smoothbore	1,25" (32 mm)	black
CHE3245	Newton	elbow 45°	1,25" (32 mm)	black
CHE3290	Newton	elbow 90°	1,25" (32 mm)	black
CHE38180	Newton	smoothbore	1,5" (38 mm)	black
CHE3845	Newton	elbow 45°	1,5" (38 mm)	black
CHE3890	Newton	elbow 90°	1,5" (38 mm)	black
CHE50180	Newton	smoothbore	2,0" (51 mm)	black
CHE5045	Newton	elbow 45°	2,0" (51 mm)	black
CHE5090	Newton	elbow 90°	2,0" (51 mm)	black
CHE57180	Newton	smoothbore	2,25" (57 mm)	black
CHE5745	Newton	elbow 45°	2,25" (57 mm)	black
CHE5790	Newton	elbow 90°	2,25" (57 mm)	black
CHPU60180	Newton	smoothbore	2,35" (60 mm)	black
RE-AE-007	ATL	45° elbow	2,25" (57 mm)	black
RE-AE-008	ATL	45° elbow	2,25" (57 mm)	clear
RE-AE-009	ATL	90° elbow	2,25" (57 mm)	black
RE-AE-019	ATL	45° elbow	2,0" (51 mm)	black
RE-AE-020	ATL	90° elbow	2,0" (51 mm)	black
RM-AB-001	ATL	rig refuelling hose (lightweight)	1,5" (38 mm)	clear
RM-AB-011	ATL	lightweight/flexible	2,0" (51 mm)	black
RM-AB-012	ATL	smoothbore	2,0" (51 mm)	black
RM-AB-013	ATL	smoothbore, wire reinforced	2,0" (51 mm)	clear
RM-AB-021	ATL	lightweight/flexible	2,25" (57 mm)	black
RM-AB-022	ATL	smoothbore	2,25" (57 mm)	clear
RM-AB-023	ATL	smoothbore	2,25" (57 mm)	black
RM-AB-024	ATL	smoothbore, wire reinforced	2,25" (57 mm)	clear
RM-AB-031	ATL	lightweight/flexible	2,50" (63 mm)	black
RM-AB-041	ATL	aluminium fire guard	3,50" (89 mm)	alloy



Taniche



Codice	Descrizione Prodotto
SAF45.1025/JKV	Tanica rifornimento Stäubli dritta
SAF45.1025/RO/JKV	Tanica rifornimento Stäubli con gomito 135°



Accessories for bottles



Code	Description
RE-AB-011	Heat reflective cover for RE-AA



Accessories for bottles



Code	Description
RE-AB-001	Stand to suit RE-AA bottle range



Fuel Scales



Code	Description
RE-AA-300	ATL Refuelling Rig Weighing System (LMS)